

## Quickie TS FSS NET ORDER FORM/PRICE LIST (SIN F-1)

EIQT, Effective February 1, 2009

ORDERING INFORMATION PHONE: (800) 333-4000, FAX: (800) 300-7502, WEBSITE: www.sunrisemedical.com

		ACCOUNT II	NFORMA	TION		
Account No:		<del> </del>	Drop S	Ship/Ship	То:	
Date:			Name:			<del> </del>
P.O. #:			Addre	ss:		
Buyer:			City: _		State:	
Marked For:			Zip Co	de:	Phone Number:	
	QUICKIE TS		Frame	Depth &	Back Post Location (See Diagram on F	Page 4)
	E1161 Quickie TS <sup>1</sup>	\$1,087.73		043FL5	Short	9/
	FRAMES	ψ.,σσσ		043BL1	14" <sup>5</sup>	NC
Base Frame	THAMES			043BL2	15"	NC NC
□ 043FS4	Growing Base	NC		043BL3	16"	NC
□ 043FS2	Flared Front Growing Base 9	\$71.92		043BL4	17"	NC
Seat Frame	Figired Front Growing Edge	Ψ71.02		043FL11		110
□ 043FT49	Growing Seat Frame	STD		043BL3	16" <sup>5</sup>	NC
□ 043FT46	Contracture Growing Seat Frame <sup>2</sup>	\$71.92		043BL4	17"	NC
Heavy Duty Optio	on	Ψ71.02		043BL5	18"	NC
□ 43WT2	Heavy-Duty Option 1,3	\$52.14		043BL6	19"	NC
	(Maximum weight 350 lbs.)	******		043FL21		
Seat Frame Positi	ion (See Page 4 for Chart)			043BL6	19" <sup>5</sup>	NC
□ 043SP1	Std. Seat Frame Position	NC		043BL7	E2203 20"	\$107.87
□ 043SP2	-1" Seat Frame Position	NC		043BL8	E2203 21"	\$107.87
□ 043SP3	-2" Seat Frame Position	NC		043BL9	E2204 22"	\$107.87
Tilt Option					SEATING	
□ 043TT1	Gas Cylinders	NC		Attach O	rder Form for Seating For:	
□ 043TT2	Dual Mech Locks 4	NC		- Jay Fit	Seating	
Frame Color				- Standa	rd Conventional Seating (See Page 4)	
□ 043C2	Black	NC			n Conventional Seating	
□ <u>043C10</u>	Black Opal	NC		043PN1	Aluminum Solid Seat Base	\$26.97
□ <u>043C1</u>	Blue	NC	Back			
□ <u>043C38</u>	Blue Opal	NC		043BT8	Angle Adjustable Backrest	NC
043C36	Candy Blue	NC	Ц	043BT5	E1225 Reclining Backrest 6,7,8	\$251.71
□ <u>043C35</u>	Candy Red	NC				
043C39	Candy Turquoise	NC NC		OTNOTES		
□ <u>043C6</u>	Forest Green	NC NC			S product is not available with seat or back	, ,
□ <u>043C4</u> □ <u>043C37</u>	Midnight Purple Orange	NC NC			e seating. To order seating, see "Standard C m" on page 4 of this order form.	onventional
□ 043C5	Pearl Pink	NC			eat frame manufactured without footrest han	agor tubos
□ 043C40	Razzleberry	NC			tracture Footrest System.	ger tubes.
□ 043C11	Toxic Green	NC			'S Heavy-Duty models use 24" Pneumatic re	ear tires and 8" x 2
□ 043C8	Yellow	NC			nt tires only. Heavy-Duty Quickie TS Max V	
<b>Custom Color</b>			is 3	850 lbs.		
□ 043C41	Berry Vibrations	\$75.51			with reclining back.	
□ 043C20	Graphite	\$75.51			rests not available with 14" short, 16" regula	ır, or 19" long
□ <u>043C42</u>	Stars and Stripes	NC			ack post location options.	
□ 043C43	Mossy Oak Camouflage	\$75.51			with low stroller handles.	
Frame Width	4.411	NO			with swing-away adjustable stroller handles.	
043W5	14"	NC NC			with dual mech locks. Contracture Footrest System.	
□ <u>043W6</u> □ <u>043W7</u>	15" 16"	NC NC		quirea for C red frame i		
□ 043W7 □ 043W8	17"	NC NC	FIA	reu iranie i	s needed.	
□ 043W8 □ 043W9	18"	NC NC				
□ 043W10	19"	NC				
	E2201 20"	\$107.87				
-		<del></del>				

PROPER USE OF HCPCS CODES DOES NOT ENSURE COVERAGE OR PAYMENT. FOR COVERAGE INFORMATION, VERIFY THE APPROPRIATE PAYER'S COVERAGE POLICY.

Stroller Handle Back Posts (For Adaptive Seating)					
	043BP9	JUON FUSIS	Low (25-3/4" Ht.)	NC	
	043BP10		Medium (28-3/4" Ht.)	NC NC	
	043BP11		Tall (31-3/4" Ht.)	NC	
	043BP12		Removable Stroller Handle Ext. 1	\$30.56	
	043BP15		Swing Away Adjustable Stroller <sup>2</sup>	\$35.96	
	043BF 13		ARMREST	φ33.90	
Armre	st		7.1.1.1.1.201		
	043AA26		Dual Post <sup>3</sup>	NC	
	043AA39	E0973	Dual Post Height Adjustable <sup>3</sup>	\$82.70	
	043AA43	20070	Dual Post Flip Back <sup>3</sup>	\$34.16	
	043AA48	E0973	Dual Post Flip Back Height Adjust. 3	\$84.50	
	043AA8	E0973	Height Adjustable Adult	\$82.70	
	043AA9	E0973	Height Adjustable Kids	\$82.70	
	043AA1	E0973	Adjustable Locking Flip-Up 4	\$82.70	
Armpa		L0973	Adjustable Locking Filp-op	ψ02.70	
	043AM1		Desk Length (10")	NC	
	043AM2		Full Length (14")	NC	
			FOOTREST		
1. Har	nger Moun	ted Footre	est (Footrests Mount to Hanger Tubing)		
	043H7		70° Swing-Away Front Mount	NC	
	043H8		80° Swing-Away Front Mount	NC	
	043H6		90° Swing-Away Front Mount	NC	
	043H9		70° Heavy-Duty Front Mount Lift-Off	NC	
	043H10		80° Heavy-Duty Front Mount Lift-Off	NC	
	043H23	E0990	90° Elevating 5,8	\$91.69	
	Extension	าร			
	043E23		2"	\$10.79	
	043E16	K0037	High Mount 5,7	\$19.78	
	Footplate	•			
	043F4	K0040 <sup>25</sup>	Kids Angle Adjustable w/Leg Strap <sup>8</sup>	\$53.94	
	043F3	K0040 <sup>24</sup>	Adult Angle Adjustable w/Heel Loops	\$53.94	
	043F62	K0038	90° Footboard w/Leg Strap 8	\$53.94	
		be Mounte	ed Footrests (Footrests Mount to Ext. T		
	043H1		60° Swing-Away	NC	
	043H2		70° Swing-Away	STD	
	043H3		70° Swing-Away	NC	
	043H14	E0990	Elevating 10	\$91.69	
	043H24	K0053	Articulating Adult 12,13,14	\$116.86	
	Extension	n Tube	Short (11 F" 14") 10		
	043E1		311011 (11.3 - 14 )	NC	
	043E2		Medium (14" - 17")	NC	
	043E5		Long (17" - 19")	NC	
	Footplate	•	Composito w/Hool Loops 15,16	<u> </u>	
	043F1		Composite w/rieer Loops	Std	
	043F5	04	Adult Apple Adiust w/Heal Lagra 15	NC	
	043F3	K0040 <sup>24</sup>	Adult Angle Adjust. W/Heel Loops	\$53.94	
	043F48	K0040 <sup>25</sup>	Platform Flip-Up w/Leg Strap <sup>15</sup>	\$55.73	
Footre	est Options	5	Language Council Name and 18	Φ00 F0	
	043IG2		impact Guard Neoprene	\$30.56	
	043A110	E0952	Toe Loop (each)	\$7.19	
	043HL5	K0038	Leg Strap <sup>23</sup>	NC 05.00	
	043H32		Omit Hanger	-\$5.39	
	043F7		Omit Hanger & Extension Tube	-\$5.39	
	043HL4		Omit Heel Loop	NC	
	043HL6		Omit Single Leg Strap	NC	

	3. Contracture Footrest System (CFS)				
2	(Multi-Adjustable Padded Hangers & Angle Adjustable				
2		Aluminum Footrests)			
0 0 6 6		043H26	Contracture Footrest System <sup>21</sup>	\$116.86	
6		043E25	Short		
6		043EP1	10.5" Extension Height	NC	
		043EP2	11.0" Extension Height	NC	
		043EP3	11.5" Extension Height	NC	
5		043EP4	12.0" Extension Height	NC	
0		043EP5	12.5" Extension Height	NC	
6		043EP6	13 0" Extension Height	NC	

043EP2	11.0" Extension Height	NC
043EP3	11.5" Extension Height	NC
043EP4	12.0" Extension Height	NC
043EP5	12.5" Extension Height	NC
043EP6	13.0" Extension Height	NC
043E26	Regular	
043EP5	12.5" Extension Height	NC
043EP6	13.0" Extension Height	NC
043EP7	13.5" Extension Height	NC
043EP8	14.0" Extension Height	NC
043EP9	14.5" Extension Height	NC
043EP10	15.0" Extension Height	NC
043E27	Long	
043EP9	14.5" Extension Height	NC
043EP10	15.0" Extension Height	NC
043EP11	15.5" Extension Height	NC
043EP12	16.0" Extension Height	NC
043EP13	16.5" Extension Height	NC
043EP14	17.0" Extension Height	NC
	CASTERS	
043CW5	5" Low-Profile Polyurethane	Std

5" x 1.5" Semi-Pneumatic 22

\$30.56

### FOOTNOTES:

□ 043CW7


- <sup>1</sup> Not available with swing-away adjustable stroller handles.
- <sup>2</sup> Not available with removable stroller handle extension.
- <sup>3</sup> Dual post armrests not available with 14" short, 16" regular, or 19" long frame depth/backpost location options.
- <sup>4</sup> Not available with armpads.
- <sup>5</sup> Available with adult and kids angle adjustable footplates only.
- <sup>6</sup> Not available on widths over 16" (designed for pediatric).
- Not available with elevating legrests.
- <sup>8</sup> Only available on 14"-16" width frames.
- <sup>9</sup> Not available with short extension tubes or high mount extension tubes.
- <sup>10</sup> Available with aluminum and angle adjustable footplates only.
- <sup>11</sup> Not available with short extension tubes.
- <sup>12</sup> Not available with high-push wheel locks and short footrest extension tubes.
- <sup>13</sup> Not available on 14" frame widths.
- <sup>14</sup> Only available with composite and adult angle adjustable footplates.
- $^{15}$  When ordered with  $70^{\rm o}{\rm V}$  hangers, avail. on frame widths 17" or greater only.
- $^{16}$  Only available with  $60^{\circ},\,70^{\circ},\,$  or  $70^{\circ}V$  hangers and articulating legrests.
- <sup>17</sup> Available with elevating legrests only.
- <sup>18</sup> Available with 60° or 70° hangers with extension tubes only.
- <sup>19</sup> Contracture seat frame manufatured without footrest hanger tubes. Use with
- <sup>20</sup> Best when used with Contracture Footrest Seat Frame and Flared Front End.
- <sup>21</sup> Length measurement taken from top of seat rail to top of footrest plate when CFS is set at 90°. Footrest plate width determined by seat frame width. CFS may interfere with front caster rotation when Quickie TS is in non-tilt position.
- $^{\rm 22}$  Caster wheel interferes with caster fork in the upper hole position.
- $^{\rm 23}$  Not available with elr, air,  $90^{\rm o}$  elr or contracture footrest.
- <sup>24</sup> Should additionally be billed as E0951.
- $^{25}$  Should additionally be billed as K0038.


Casters (Contin	ued)		
□ 043CW3	3	6" Pneumatic	\$26.97
□ 043CW3	4	6" Polyurethane	NC
□ 043CW3	5	6" x 1.5" Semi-Pneumatic 1	\$30.56
□ 043CW2	1	8" Pneumatic <sup>2</sup>	\$26.97
□ 043CW3		8" Polyurethane <sup>2</sup>	NC
□ 043CW3	 9	8" x 1.5" Semi-Pneumatic <sup>1, 2</sup>	\$30.56
□ 043CW3		8" x 2" Pneumatic <sup>2</sup>	\$52.14
□ 043CW3		8" x 2" Pneumatic w/Airless Ins. <sup>2</sup>	\$80.91
Caster Options	,	O X E T Hourilaile W// Wildes Wile.	ψ00.51
□ 043CS5		3/4" Longer Fork Stem Bolt	NC
□ 043CS9		1-1/2" Longer Fork Stem Bolt	NC NC
□ 043CW1	2	Omit caster wheel and tire	NC
□ 043CF30		Omit Caster Wheels and Forks	-\$10.79
□ <sub>043CS4</sub>		Quick-Release Caster Stems 3	\$57.53
		AXLE AND WHEEL	
Axle Plate			
□ 043AL1		Standard Axle Plate	NC
□ 043AL21		Self-Propelling 0° Axle	\$53.94
□ 043AL22		Self-Propelling 4° Axle	\$53.94
□ 043AL17		One Arm Drive Axle Plate 5	\$285.87
□ 043AL17	E0938	One Arm Drive Standard Handrim	
□ 043HM1		Right Hand Mount	NC
□ 043HM2		Left Hand Mount	NC
□ 043OA1		One Arm Drive Small Handrim	NC
□ 043HM1		Right Hand Mount	NC
□ 043HM2		Left Hand Mount	NC
Axle			
□ <u>043AX1</u>		Quick Release Axles	NC
□ 043RR25	5	Omit Rear Wheel and Axle	-\$19.78
Rear Wheel 6,7			
043RW1	3	12" Mag Wheel 8	\$14.38
043RW1		16" Mag Wheel <sup>8</sup>	\$14.38
□ <u>043RW3</u>		20" Mag Wheel	NC.
□ <u>043RW8</u>		22" Mag Wheel	NC
043RW1		24 Mag Wheel	NC
043RW1	2	18" Spoke Wheel	\$35.96
□ <u>043RW4</u> □ 043RW9		20" Spoke Wheel	\$71.92
		22" Spoke Wheel	\$71.92
0430772		24" Spoke Wheel 9	\$35.96
Rear Wheel Tire	)	Full Polyurathona 10	
		ruii roiyuretilarie	NC
043RT1		Pneumatic 9	NC NC
□ <u>043RT2</u> □ <u>043RT6</u>	E2213	Pneumatic Airless Insert	\$25.17
_ 0+31110		night Fressure Chricher	\$34.16
0431110		Reviai	\$34.16
0431114		Low Polyurethane 12	NC
nangrim			
□ <u>043HR1</u> □ 043HR4		Aluminum Anodized Plastic Coated	NC Page FC
			\$30.56
U43HH7	!! !	Omit Handrim 18	-\$7.19
	avallable	on plastic coated)	¢70.10
□ <u>043HR8</u> □ 043HR10	1	8 Oblique 12 Oblique	\$70.12 \$70.12
□ 043HR10	,	8 Vertical <sup>14</sup>	
□ 043HR9		O VEILICAI	\$70.12
Wheel Lock	l	12 Vertical <sup>14</sup>	\$70.12
□ 043WL1		High Mount Push Wheel Lock	NC
□ 043WL2		High Mount Pull Wheel Lock	NC
□ 043WL1	1	Foot Wheel Lock (Only 12" whl)	\$17.98
□ 043WL10		Omit Wheel Lock	NC

Grade Aid	
	400.00
U 043GA1 E0974 Grade Aid 14  Extension Handle	\$32.36
	<b>A</b> 04.57
	\$21.57
043EHZ E0981 6 RIGHT	\$10.79
□ 043EH3 E0961 6" Left	\$10.79
Anti-Tip	
□ 043AO1 E0971 Front Anti-Tip	\$53.94
□ 043AT5 E0971 Rear Anti-Tip	\$48.54
ACCESSORIES	
Backpack	
□ 043A1 Black Utility Backpack	Open Market
□ 043A2 Black/Charcoal Kids	Open Market
Seat Pouch	
□ 043A10 Black	Open Market
Extra Leg Strap	
□ 043A54 K0038 Black	\$10.79
Miscellaneous	
□ 043A82 Caddy <sup>16</sup>	\$16.18
Positioning Belt	
□ 043A15 E0978 1.5" Auto Buckle w/Clamps	\$21.57
□ 043A12 E0978 2" Aircraft Buckle	\$30.56
□ 043A13 E0978 2" Aircraft Buckle Padded	\$41.35
□ 043A14 E0978 2" Dual Pull Side Squeeze Padded	\$30.56
Spoke Guard <sup>10</sup>	
□ 043A24 K0065 Clear	\$32.36
□ 043A23 K0065 Black	\$32.36
Touch-Up Paint	
□ 043A27 Frame	\$8.99
Color:	
Wheelchair Tray Table (Must include armrest)	
□ 043A176 E0950 Medium (14")	\$71.92
□ 043A177 E0950 Large (15"-17")	\$71.92
□ 043A178 E0950 X-Large (18"-20")	\$71.92
Side Guard	
O43SG3 Plastic Regular 17	\$43.15
043SG4 Plastic Kids <sup>17</sup>	\$43.15
TOTAL CHAIR PRICE	\$

### FOOTNOTES:

- <sup>1</sup> Caster wheel interfere with caster fork in the upper hole position.
- <sup>2</sup> Not available with 90° hangers and 90° elevating legrest.
- $^3$  Not available with 3/4" or 1-1/2" fork stem bolts, or 8" x 2" front casters.
- <sup>4</sup> Available with 24" and 26" rear wheels only. Tilt is limited to 33°. (Rear floor-to-seat height 18" with 24" rear wheels, 19" with 26" rear wheels.)
- <sup>5</sup> Only available with mag wheels.
- <sup>6</sup> 12", 16", and 18" wheels only available with Pneumatic and Pneumatic with Airless Inserts.
- 7 20", 22" only available with Pneumatic, Pneumatic w/Airless Inserts and Full Polyurethane.
- $^{\rm 8}$  Handrims not available for 12" or 16" rear wheels.
- $^{\rm 9}$  The Quickie TS Heavy Duty models use 24" pneumatic rear tires and 8" x 2" pneumatic front tires only. Heavy Duty Quickie TS max. wt. capacity 350 lbs.
- $^{\rm 10}$  Not available with 12", 16", and 18" rear wheels.
- <sup>11</sup> Available with 24" spoke wheels only.
- <sup>12</sup> Available on 24" rear wheels only.
- <sup>13</sup> Only available on 24" wheels.
- <sup>14</sup> Not available with polyurethane, low profile polyurethane, or high-pressure clincher tires.
- <sup>15</sup> Available with 12" rear wheels only.
- <sup>16</sup> Only available with footrests with extension tubes.
- $^{\rm 17}$  Not available with dual post armrest styles or single post height adj. armrests.
- $^{\rm 18}$  Does not apply to 12" & 16" wheels.
- $^{\rm 19}$  Only available with 20", 22" and 24" mag wheels.





Seat Frame	Tilt
Position	Available
Standard	45°
-1"	39°
-2"	33°

### STANDARD CONVENTIONAL SEATING SYSTEM - All Items Below are Open Market itms

### **INSERT SPECIFICATIONS \***

- Seat Width
- Seat Depth (Actual client measurement)
- Back Width
- Back Height
- Client Chest Width
- Chair Make
- Chair Model
- \* Seat and back inserts must be same width as wheelchair frame.

### ALL ATTACHING SEAT AND BACK HARDWARE INCLUDED

For 1" tubing only

Standard Planar Back includes 1" foam thickness

Standard "I" Back includes 1" foam thickness

Standard Planar cushion includes 1.5" foam with 2" x 2" rear notches for 4" growth

Standard Wedge cushion has 2" x 2" rear notches for growth


- 1.5" foam at rear to 2" foam at front for small cushions up to 15" long
- 1.5" foam at rear to 3" foam at front for large cushions longer than 15"

Medium Poly Foam \*

\*\* No substitutions or other modifications.

Hardware Transit Approved.

# Standard Planar



\_\_ Up to 15" wide: \$340 \_\_ Over 15" wide: \$375

### **SEAT**

Standard Wedge Modification



\_\_ Up to 15" wide: \$455 \_\_ Over 15" wide: \$490

### **POSITIONING ACCESSORY OPTIONS**

Lateral Hip Supports \$195/pr

 $-\Box - Small pads = 3 \times 4$   $-\Box - Large pads = 4 \times 6$ 

Lateral Thigh Supports \$195/pr

 $-\Box$  Small pads = 3 x 4

 $-\Box$  Large pads = 4 x 6

Fixed Brackets (included)

- Straight

□ 1" Inset □ 2" Inset Flip down adj. Medial thigh support \$430

- Small pads = 3 x 4 with cover

- Large pads = 4 x 6 with cover

**Pelvic Positioning Belt** 

- Small = 1" padded dual pull \$70/ea

-D-Large = 1.5" padded dual pull \$80/ea

Choose Fabric

- □ Naugahyde (black only) N/

-□ Parapak (black only) N/C

## Standard Planar



\_\_ Up to 15" wide: \$325 Over 15" wide: \$360

### **BACK**

Standard I-Back (must provide client chest width)



\_\_ Up to 15" wide: \$430 \_\_ Over 15" wide: \$460

## POSITIONING ACCESSORY OPTIONS

Lateral Thoracic Supports \$190/pr

- $\square$  Small pads = 3 x 4 flat
- $\Box$  Large pads = 4 x 6 flat

Fixed Brackets (included)

- Straight
- -□-1" Inset
- -□ 2" Inset

- Slide In Headrest \$22
- -□-Small pad=3-1/2" x 7-3/4"w/short shaft
  -□-Large pad=5-1/2" x 10-1/2" w/long shaft

Anterior Trunk Support \$120

-□ Small harness

-□ Medium harness

**Choose Fabric** 

- Naugahyde (black only) N
- -□ Parapak (black only) N/C

Sunrise Medical 7477 E. Dry Creek Pkwy Longmont, CO 80503 (800) 333-4000

